

Table 1C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Summary of Demographic Indicators
Children Aged < 5 Years (2,3)

Total Records	Number
Individual Children	13,930
Total Records (All Visits)	21,582

Source of Data	Number	%
WIC	13,930	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	13,930	100.0
<i>Excluded Unknown:</i> 0 0.0 %		

Race/Ethnic Distribution	Number	%
White, Not Hispanic	13,085	94.7
Black, Not Hispanic	345	2.5
Hispanic	32	*
American Indian/Alaskan Native	51	*
Asian/Pacific Islander	136	1.0
Multiple Races	0	0.0
All Other	167	1.2
Total	13,816	100.0
<i>Excluded Unknown:</i> 114 0.8 %		

Age Distribution (4)	Number	%
0 - 5 Months	2,423	17.4
6 - 11 Months	1,472	10.6
12 - 23 Months	2,862	20.5
24 - 35 Months	2,599	18.7
3 - 4 Years	4,574	32.8
Total	13,930	100.0

% of Poverty Level	Number	%
0-50	0	0.0
51-100	0	0.0
101-130	0	0.0
131-150	0	0.0
151-185	0	0.0
186-200	0	0.0
Over 200	0	0.0
Adjunctive Eligibility	0	0.0
Total	0	0.0
<i>Excluded Unknown:</i> 13,930 100. %		

Program Participation	Number	%
WIC	0	0.0
FoodStamps	0	0.0
Medicaid	0	0.0
TANF	0	0.0
<i>Excluded Unknown:</i>		
WIC	13,930	100.0
FoodStamps	13,930	100.0
Medicaid	13,930	100.0
TANF	13,930	100.0

Migrant Status	Number	%
Yes	0	0.0
No	0	0.0
Total	0	0.0
<i>Excluded Unknown:</i> 13,930 100. %		

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 2C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Summary of Health Indicators
Children Aged < 5 Years (2)

Summary of Health Indicators (3)						
			Vermont Prevalence		National Prevalence (Prior Year)	
			Number	%	Number	%
Birthweight (4)						
Low	< 2500 g		2,447	8.3	1,953,242	9.1
High	> 4000 g		2,447	11.0	1,953,242	6.4
Height and Weight						
Short Stature (5)						
	< 5th		13,525	5.0	7,526,585	6.2
	< 10th		13,525	9.7	7,526,585	11.2
Underweight (6)						
	< 5th		13,525	3.3	7,526,585	4.5
	< 10th		13,525	5.9	7,526,585	7.8
Obese (6)						
	≥ 95th		13,525	12.5	7,526,585	13.9
≥ 2 Yrs Overweight (6)						
	85th - < 95th		7,009	16.3	3,058,130	16.4
	≥ 95th		7,009	13.3	3,058,130	14.9
Anemia (7)						
	Low Hb		10,616	5.7	4,357,486	15.3
	Low Hct		39	*	627,528	11.0
	Low Hb/Hct		10,655	5.7	4,759,588	15.0
Breastfeeding (8)						
	Ever Breastfed		2,420	70.5	1,747,004	59.8
	Breastfed At Least 6 Months		2,032	31.4	874,434	25.4
	Breastfed At Least 12 Months		1,987	12.7	979,105	17.5
Smoking in Household						
	≤ 2 Hours TV Viewing/ Day (9)		0	*	3,047,308	11.3
			0	*	687,613	75.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 3C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Vermont
Summary of Breastfeeding Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Breastfeeding Indicators ⁽³⁾				
	Vermont Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
Breastfeeding Duration ^(4,5)				
Ever Breastfed	2,420	70.5	1,747,004	59.8
Breastfed 1+ Weeks	2,322	69.3	1,441,655	57.7
Breastfed 2+ Weeks	2,323	67.8	1,143,026	54.6
Breastfed 3+ Weeks	2,248	62.5	945,918	51.9
Breastfed 4+ Weeks	2,151	59.1	829,522	49.3
Breastfed 6+ Weeks	1,881	54.0	703,467	43.4
Breastfed 2+ Months	1,690	48.2	656,316	38.1
Breastfed 3+ Months	1,792	43.5	698,226	33.2
Breastfed 4+ Months	2,032	39.4	781,546	29.4
Breastfed 5+ Months	2,251	35.3	876,545	26.5
Breastfed 6+ Months	2,032	31.4	874,434	25.4
Breastfed 9+ Months	1,887	19.6	956,555	20.2
Breastfed 12+ Months	1,987	12.7	979,105	17.5
Breastfed 18+ Months	1,835	1.7	722,829	10.5
Exclusive Breastfeeding ⁽⁶⁾				
Exclusively Breastfed at Least 3 Months	0	*	127,047	10.2
Exclusively Breastfed at Least 6 Months	0	*	182,064	5.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Vermont

Comparison of Racial and Ethnic Distribution by Contributor
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Contributor								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Vermont	13,930	93.9	2.5	0.2	0.4	1.0	0.0	2.0
Nation (Prior Year)	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Comparison of Age Distribution by Contributor
Children Aged < 5 Years (2)

Comparison of Age Distribution by Contributor				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Vermont	13,930	28.0	20.5	51.5
Nation (Prior Year)	7,995,600	37.6	22.1	40.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6C
2008 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Growth and Anemia Indicators by Contributor
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Contributor (3)												
Contributor	Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature (5)	Under-weight (6)	Obese (6)	≥ 2 Yrs Over-weight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th- <95th	% ≥95th	Number	%
Vermont	2,447	8.3	11.0	13,525	5.0	3.3	12.5	7,009	16.3	13.3	10,655	5.7
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9	4,759,588	15.0

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Infants born during the reporting period included in the analysis.
 - (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children..
 - (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7C
2008 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor
(4)

Contributor	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
Vermont	2,420	70.5	2,032	31.4	1,987	12.7	0	*	0	*	0	*		
Nation (Prior Year)	1,747,004	59.8	874,434	25.4	979,105	17.5	127,047	10.2	182,064	5.2	687,613	75.0	3,047,308	11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 8C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Growth and Anemia Indicators by Race/Ethnicity or Age
Children Aged < 5 Years (2)

Growth and Anemia Indicators by Race/Ethnicity or Age (3)												
	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Number	Low %	High %	Number	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		<2500 g	>4000 g		<5th	<5th	≥95th	Number	% 85th-<95th	% ≥95th		
												Number
Race/Ethnicity												
White, Not Hispanic	2,349	8.2	11.1	12,710	5.1	3.3	12.3	6,514	16.5	13.1	9,947	5.4
Black, Not Hispanic	40	*	*	336	3.9	2.1	17.3	198	12.6	18.2	290	12.8
Hispanic	6	*	*	31	*	*	*	18	*	*	26	*
American Indian/Alaskan Native	6	*	*	48	*	*	*	31	*	*	44	*
Asian/Pacific Islander	17	*	*	126	5.6	4.0	11.9	81	*	*	112	8.0
Multiple Races	0	*	*	0	*	*	*	0	*	*	0	*
All Other	29	*	*	274	2.6	2.2	14.2	167	15.6	18.0	236	5.9
Total	2,447	8.3	11.0	13,525	5.0	3.3	12.5	7,009	16.3	13.3	10,655	5.7
Age												
0 - 11 Months	-	-	-	3,671	7.8	4.5	10.2	-	*	*	680	10.9
12 - 23 Months	-	-	-	2,845	5.2	3.5	13.3	-	*	*	2,981	8.1
24 - 35 Months	-	-	-	2,539	3.8	2.6	11.4	2,539	15.4	11.4	2,517	5.8
36 - 47 Months	-	-	-	2,301	3.8	2.3	14.0	2,301	16.8	14.0	2,317	3.7
48 - 59 Months	-	-	-	2,169	2.8	2.6	14.8	2,169	16.8	14.8	2,160	3.0
Total	-	-	-	13,525	5.0	3.3	12.5	7,009	16.3	13.3	10,655	5.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 9C
2008 Pediatric Nutrition Surveillance (1)
Vermont

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (2)
Children Aged < 5 Years (3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	2,316	70.4	1,925	30.8	1,889	12.5	0	*	0	*
Black, Not Hispanic	43	*	51	*	40	*	0	*	0	*
Hispanic	6	*	2	*	2	*	0	*	0	*
American Indian/Alaskan Native	6	*	7	*	8	*	0	*	0	*
Asian/Pacific Islander	19	*	16	*	17	*	0	*	0	*
Multiple Races	0	*	0	*	0	*	0	*	0	*
All Other	30	*	31	*	31	*	0	*	0	*
Total	2,420	70.5	2,032	31.4	1,987	12.7	0	*	0	*
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	0	*
12 - 23 Months	-	-	-	-	-	-	0	*	0	*
24 - 35 Months	-	-	-	-	-	-	0	*	0	*
36 - 47 Months	-	-	-	-	-	-	0	*	0	*
48 - 59 Months	-	-	-	-	-	-	0	*	0	*
Total	2,420	70.5	2,032	31.4	1,987	12.7	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years (2)

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2008	13,930	93.9	2.5	0.2	0.4	1.0	0.0	2.0
2007	13,401	94.0	2.6	0.2	0.5	0.9	0.0	1.8
2006	13,265	93.7	2.6	0.2	0.5	1.0	0.0	1.9
2005	13,451	94.0	2.5	0.2	0.4	1.0	0.0	1.9
2004	13,610	95.9	2.1	0.2	0.5	1.2	0.0	0.2
2003	16,901	96.8	1.6	0.1	0.5	1.0	0.0	0.0
2002	13,431	97.0	1.5	0.1	0.6	0.8	0.0	0.0
2001	13,385	97.2	1.4	0.1	0.5	0.9	0.0	0.0
2000	12,468	97.6	1.1	0.1	0.4	0.8	0.0	0.0
1999	11,333	97.8	0.9	0.1	0.4	0.8	0.0	0.0
1998	12,612	97.6	0.9	0.1	0.4	1.0	0.0	0.0
1997	12,609	97.3	1.1	0.1	0.4	1.1	0.0	0.0
1996	13,186	97.3	1.2	0.1	0.3	1.0	0.0	0.0
1995	13,003	97.2	1.3	0.2	0.4	1.0	0.0	0.0
1994	14,225	97.6	1.0	0.1	0.3	0.9	0.0	0.0
1993	14,429	97.8	1.0	0.2	0.3	0.8	0.0	0.0
1992	13,849	98.1	0.8	0.3	0.3	0.6	0.0	0.0
1991	12,313	98.5	0.8	0.2	0.1	0.4	0.0	0.0
1990	13,804	98.4	0.8	0.3	0.0	0.4	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 10C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years (2)

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1989	12,905	98.6	0.7	0.2	0.0	0.4	0.0	0.0
1988	12,117	98.6	0.8	0.1	0.1	0.4	0.0	0.0
1987	14,299	98.6	0.5	0.1	0.1	0.4	0.0	0.3
1986	15,807	98.6	0.5	0.1	0.1	0.3	0.0	0.4
1985	16,262	98.7	0.4	0.1	0.1	0.3	0.0	0.4
1984	18,606	98.8	0.4	0.1	0.1	0.3	0.0	0.2
1983	16,526	98.7	0.4	0.1	0.2	0.4	0.0	0.3
1982	14,646	98.6	0.4	0.0	0.2	0.3	0.0	0.6
1981	11,543	97.7	0.2	0.0	0.2	0.3	0.0	1.5
1980	4	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 11C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2008	13,930	28.0	20.5	51.5
2007	13,401	28.9	19.9	51.2
2006	13,265	28.5	19.7	51.8
2005	13,451	29.2	20.2	50.6
2004	13,610	30.2	19.5	50.4
2003	16,901	28.5	20.1	51.4
2002	13,431	30.6	19.6	49.8
2001	13,385	31.2	18.7	50.0
2000	12,468	31.5	19.6	48.9
1999	11,333	31.0	19.5	49.5
1998	12,612	31.4	18.4	50.2
1997	12,609	29.8	19.1	51.1
1996	13,186	29.8	19.0	51.2
1995	13,003	29.1	18.8	52.1
1994	14,225	30.2	18.1	51.6
1993	14,429	29.8	19.0	51.1
1992	13,849	31.5	19.8	48.7
1991	12,313	34.1	19.1	46.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 11C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1990	13,804	31.5	19.1	49.4
1989	12,905	32.4	18.0	49.6
1988	12,117	31.2	18.6	50.2
1987	14,299	30.5	18.8	50.7
1986	15,807	30.0	18.9	51.1
1985	16,262	30.3	19.0	50.7
1984	18,606	28.4	20.1	51.5
1983	16,526	31.5	19.4	49.1
1982	14,646	31.9	19.7	48.4
1981	11,543	32.8	19.7	47.5
1980	4	*	*	*

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Records rejected if date of birth and date of visit unknown.
(4) Excludes records with unknown data or errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2008 Pediatric Nutrition Surveillance (1)
Vermont

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g							Number	% <5th	% <5th
2008	2,447	8.3	11.0	13,525	5.0	3.3	12.5	7,009	16.3	13.3	10,655	5.7
2007	2,474	6.8	10.1	12,982	5.1	3.3	12.4	6,706	16.1	13.5	9,818	6.4
2006	2,357	8.5	10.8	12,847	5.3	3.1	12.0	6,697	15.8	12.9	9,442	6.1
2005	2,405	6.9	10.2	13,026	5.3	3.5	11.7	6,669	17.1	12.9	9,076	6.6
2004	2,635	8.2	10.8	13,079	5.4	3.4	12.3	6,755	16.4	13.7	9,053	7.9
2003	2,756	8.2	9.9	16,293	5.1	3.3	12.2	8,504	17.1	13.1	10,311	9.0
2002	2,583	7.6	9.8	12,840	4.9	3.9	12.2	6,575	15.6	13.1	7,322	12.3
2001	2,578	7.3	10.8	12,782	5.2	3.6	12.0	6,551	16.4	13.0	7,208	10.1
2000	2,380	8.6	12.4	11,935	5.2	3.4	12.1	5,987	16.6	12.7	7,248	8.5
1999	2,038	8.1	10.7	10,675	5.4	3.4	11.4	5,522	17.1	11.9	6,997	5.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2008 Pediatric Nutrition Surveillance (1)
Vermont

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g		<5th	<5th	≥95th		85th-<95th	≥95th			
1998	2,586	9.3	11.4	11,757	5.3	3.2	10.9	6,225	16.9	11.6	9,533	3.0
1997	2,478	8.8	9.6	11,787	5.4	3.3	10.7	6,357	16.5	11.2	9,761	2.7
1996	2,529	8.9	10.6	12,325	5.8	3.5	10.7	6,667	16.5	11.2	10,282	2.8
1995	2,377	7.2	10.7	12,277	6.0	3.7	9.4	6,687	15.1	9.0	10,368	2.9
1994	2,692	7.8	11.1	13,350	6.1	3.7	9.4	7,217	14.9	9.0	11,261	2.8
1993	2,703	7.7	11.2	13,527	6.2	3.8	8.7	7,255	15.3	8.4	11,446	3.3
1992	2,806	7.3	9.1	12,940	5.7	3.9	8.8	6,663	14.5	8.3	10,668	3.9
1991	2,510	18.6	7.8	12,025	6.5	5.3	8.5	5,685	14.5	8.4	9,344	3.8
1990	2,741	6.7	10.7	13,606	6.2	4.9	7.5	6,765	14.0	8.4	10,717	2.6
1989	2,664	7.5	9.3	12,708	7.2	4.8	7.8	6,377	14.2	8.2	9,940	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2008 Pediatric Nutrition Surveillance (1)
Vermont

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%
1988	2,415	7.4	10.6	11,935	6.8	5.0	7.9	6,035	13.6	7.8	9,457	3.3
1987	2,521	6.8	10.4	14,008	6.6	4.7	8.2	7,184	13.8	8.3	11,029	3.6
1986	2,620	6.2	10.1	15,386	5.8	5.3	7.6	7,944	13.6	7.4	12,276	4.5
1985	2,754	6.4	9.5	15,878	5.8	5.5	7.0	8,170	13.4	7.0	12,706	4.5
1984	2,789	7.1	9.5	18,185	5.1	5.6	6.6	9,511	12.9	6.4	14,897	4.5
1983	3,179	6.0	7.7	16,062	5.0	6.8	5.9	8,024	11.8	5.7	12,933	4.6
1982	2,971	6.1	8.5	14,091	5.1	6.6	6.2	7,015	11.9	5.9	11,265	4.5
1981	2,632	7.1	8.3	10,384	6.8	6.0	6.7	5,429	12.5	6.3	8,505	4.9
1980	3	*	*	0	*	*	*	0	*	*	1	*

- (1) Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with unknown data or errors.
 (4) Infants born during the reporting period included in the analysis.
 (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Vermont
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2008	2,420	70.5	2,032	31.4	1,987	12.7
2007	2,443	70.4	1,760	30.9	1,694	15.5
2006	2,345	69.9	1,639	31.8	1,691	14.3
2005	2,382	66.3	1,751	33.6	1,837	16.7
2004	2,620	65.9	1,905	32.9	1,781	24.2
2003	2,728	63.7	1,960	34.7	1,950	22.1
2002	2,571	64.7	1,788	30.4	1,659	22.4
2001	2,554	63.3	1,859	30.0	1,711	23.7
2000	2,377	62.7	1,538	31.4	1,440	23.8
1999	425	62.1	304	27.6	283	20.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 14C
2008 Pediatric Nutrition Surveillance
Vermont
Children Aged < 5 Years

Page: 1
Run Date: 2 / 27 / 09

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C
2008 Pediatric Nutrition Surveillance
Vermont
Children Aged < 5 Years

Page: 1
Run Date: 2 / 27 / 09

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 16C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Vermont
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	3,504	7.8	3,504	4.7	3,504	10.0	0	0.0	0.0
12 - 23 Months	2,692	5.2	2,692	3.4	2,692	13.3	0	0.0	0.0
24 - 59 Months	6,514	3.6	6,514	2.5	6,514	13.1	6,514	16.5	13.1
Total	12,710	5.1	12,710	3.3	12,710	12.3	6,514	16.5	13.1
Black, Not Hispanic									
0 - 11 Months	70	*	70	*	70	*	0	*	*
12 - 23 Months	68	*	68	*	68	*	0	*	*
24 - 59 Months	198	1.5	198	1.5	198	18.2	198	12.6	18.2
Total	336	3.9	336	2.1	336	17.3	198	12.6	18.2
Hispanic									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	18	*	18	*	18	*	18	*	*
Total	31	*	31	*	31	*	18	*	*
American Indian/Alaskan Native									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	10	*	10	*	10	*	0	*	*
24 - 59 Months	31	*	31	*	31	*	31	*	*
Total	48	*	48	*	48	*	31	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Vermont
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander									
0 - 11 Months	23	*	23	*	23	*	0	*	*
12 - 23 Months	22	*	22	*	22	*	0	*	*
24 - 59 Months	81	*	81	*	81	*	81	*	*
Total	126	5.6	126	4.0	126	11.9	81	*	*
Multiple Races									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other/Unknown									
0 - 11 Months	59	*	59	*	59	*	0	*	*
12 - 23 Months	48	*	48	*	48	*	0	*	*
24 - 59 Months	167	1.2	167	2.4	167	18.0	167	15.6	18.0
Total	274	2.6	274	2.2	274	14.2	167	15.6	18.0
Total All Race/Ethnic Groups									
0 - 11 Months	3,671	7.8	3,671	4.5	3,671	10.2	0	0.0	0.0
12 - 23 Months	2,845	5.2	2,845	3.5	2,845	13.3	0	0.0	0.0
24 - 59 Months	7,009	3.5	7,009	2.5	7,009	13.3	7,009	16.3	13.3
Total	13,525	5.0	13,525	3.3	13,525	12.5	7,009	16.3	13.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	648	10.6	6 - 11 Months	2	*
12 - 17 Months	1,454	7.9	12 - 17 Months	13	*
18 - 23 Months	1,359	7.9	18 - 23 Months	12	*
24 - 35 Months	2,358	5.1	24 - 35 Months	25	*
36 - 59 Months	4,128	3.1	36 - 59 Months	60	*
Total	9,947	5.4	Total	112	8.0
Black, Not Hispanic			Multiple Races		
6 - 11 Months	12	*	6 - 11 Months	0	*
12 - 17 Months	42	*	12 - 17 Months	0	*
18 - 23 Months	31	*	18 - 23 Months	0	*
24 - 35 Months	74	*	24 - 35 Months	0	*
36 - 59 Months	131	6.9	36 - 59 Months	0	*
Total	290	12.8	Total	0	*
Hispanic			All Other/Unknown		
6 - 11 Months	2	*	6 - 11 Months	16	*
12 - 17 Months	0	*	12 - 17 Months	25	*
18 - 23 Months	7	*	18 - 23 Months	27	*
24 - 35 Months	5	*	24 - 35 Months	48	*
36 - 59 Months	12	*	36 - 59 Months	120	1.7
Total	26	*	Total	236	5.9
American Indian/Alaskan Native			Total All Race/Ethnic Groups		
6 - 11 Months	0	*	6 - 11 Months	680	10.9
12 - 17 Months	7	*	12 - 17 Months	1,541	8.0
18 - 23 Months	4	*	18 - 23 Months	1,440	8.1
24 - 35 Months	7	*	24 - 35 Months	2,517	5.8
36 - 59 Months	26	*	36 - 59 Months	4,477	3.3
Total	44	*	Total	10,655	5.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2008 Pediatric Nutrition Surveillance (1)
Vermont

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
White, Not Hispanic	2008	2,349	8.2	11.1	12,710	5.1	3.3	12.3	6,514	16.5	13.1	9,947	5.4
	2007	2,388	6.7	10.1	12,205	5.2	3.3	12.3	6,232	16.3	13.6	9,159	6.1
	2006	2,268	8.4	11.1	12,030	5.3	3.1	11.9	6,227	15.9	12.8	8,783	5.8
	2005	2,287	7.0	10.4	12,249	5.2	3.5	11.7	6,254	17.2	12.9	8,494	6.1
	2004	2,551	8.1	11.0	12,545	5.2	3.4	12.3	6,460	16.5	13.6	8,662	7.6
	2003	2,676	8.1	10.2	15,782	5.1	3.2	12.3	8,218	17.3	13.1	10,012	8.8
	2002	2,524	7.6	9.9	12,457	5.0	3.9	12.3	6,368	15.7	13.1	7,113	12.3
	2001	2,510	7.3	10.7	12,424	5.2	3.6	12.1	6,367	16.3	13.1	7,029	10.0
	2000	2,337	8.5	12.5	11,646	5.2	3.3	12.0	5,820	16.7	12.7	7,074	8.5
	1999	2,016	8.1	10.7	10,440	5.4	3.3	11.4	5,383	17.2	11.9	6,818	5.6
Black, Not Hispanic	2008	40	*	*	336	3.9	2.1	17.3	198	12.6	18.2	290	12.8
	2007	36	*	*	337	6.5	3.6	16.3	206	15.0	12.6	286	13.6
	2006	35	*	*	336	4.8	2.7	13.4	203	17.2	13.3	267	13.9
	2005	48	*	*	318	8.8	4.7	10.7	177	19.2	11.9	226	19.0
	2004	36	*	*	269	11.5	4.1	12.6	158	15.8	12.7	192	21.4
	2003	40	*	*	264	7.2	8.3	8.3	154	9.7	8.4	146	15.8
	2002	27	*	*	198	2.0	7.1	12.6	110	6.4	15.5	112	15.2
	2001	31	*	*	173	4.0	5.8	10.4	94	*	*	84	*
	2000	14	*	*	132	3.0	4.5	12.9	84	*	*	78	*
	1999	6	*	*	99	*	*	*	57	*	*	70	*

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Infants born during the reporting period included in the analysis.
(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2008 Pediatric Nutrition Surveillance (1)
Vermont

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)					
		Number	% <2500 g	% >4000 g				Number	% <5th	% <5th	% ≥95th		
Hispanic	2008	6	*	*	31	*	*	*	18	*	*	26	*
	2007	3	*	*	30	*	*	*	16	*	*	26	*
	2006	4	*	*	25	*	*	*	13	*	*	20	*
	2005	0	*	*	24	*	*	*	13	*	*	22	*
	2004	5	*	*	21	*	*	*	9	*	*	13	*
	2003	2	*	*	14	*	*	*	9	*	*	8	*
	2002	1	*	*	9	*	*	*	6	*	*	6	*
	2001	0	*	*	13	*	*	*	7	*	*	12	*
	2000	2	*	*	12	*	*	*	7	*	*	9	*
	1999	0	*	*	13	*	*	*	10	*	*	12	*
American Indian/Alaskan Native	2008	6	*	*	48	*	*	*	31	*	*	44	*
	2007	7	*	*	62	*	*	*	40	*	*	51	*
	2006	10	*	*	69	*	*	*	44	*	*	54	*
	2005	7	*	*	58	*	*	*	34	*	*	42	*
	2004	11	*	*	65	*	*	*	38	*	*	51	*
	2003	11	*	*	78	*	*	*	41	*	*	55	*
	2002	12	*	*	71	*	*	*	39	*	*	35	*
	2001	14	*	*	63	*	*	*	34	*	*	23	*
	2000	7	*	*	45	*	*	*	25	*	*	24	*
	1999	7	*	*	36	*	*	*	19	*	*	22	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2008 Pediatric Nutrition Surveillance (1)
Vermont

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
Asian/Pacific Islander	2008	17	*	*	126	5.6	4.0	11.9	81	*	*	112	8.0
	2007	15	*	*	111	0.9	5.4	9.9	66	*	*	92	*
	2006	21	*	*	136	6.6	2.9	9.6	76	*	*	100	5.0
	2005	17	*	*	122	7.4	8.2	6.6	66	*	*	95	*
	2004	25	*	*	151	6.6	2.0	9.3	77	*	*	113	12.4
	2003	27	*	*	155	3.9	3.9	11.0	82	*	*	90	*
	2002	19	*	*	105	2.9	2.9	5.7	52	*	*	56	*
	2001	23	*	*	109	4.6	1.8	9.2	49	*	*	60	*
	2000	20	*	*	100	6.0	4.0	14.0	51	*	*	63	*
	1999	9	*	*	87	*	*	*	53	*	*	75	*
Multiple Races	2008	0	*	*	0	*	*	*	0	*	*	0	*
	2007	0	*	*	0	*	*	*	0	*	*	0	*
	2006	0	*	*	0	*	*	*	0	*	*	0	*
	2005	0	*	*	0	*	*	*	0	*	*	0	*
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*
	1999	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2008 Pediatric Nutrition Surveillance (1)
Vermont

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
All Other/Unknown	2008	29	*	*	274	2.6	2.2	14.2	167	15.6	18.0	236	5.9
	2007	25	*	*	237	3.0	3.8	15.2	146	16.4	15.8	204	6.4
	2006	19	*	*	251	3.6	3.2	15.9	134	13.4	17.9	218	7.8
	2005	46	*	*	255	2.7	2.4	13.7	125	15.2	17.6	197	6.6
	2004	7	*	*	28	*	*	*	13	*	*	22	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*
	1999	0	*	*	0	*	*	*	0	*	*	0	*
Total All Race/Ethnic Groups	2008	2,447	8.3	11.0	13,525	5.0	3.3	12.5	7,009	16.3	13.3	10,655	5.7
	2007	2,474	6.8	10.1	12,982	5.1	3.3	12.4	6,706	16.1	13.5	9,818	6.4
	2006	2,357	8.5	10.8	12,847	5.3	3.1	12.0	6,697	15.8	12.9	9,442	6.1
	2005	2,405	6.9	10.2	13,026	5.3	3.5	11.7	6,669	17.1	12.9	9,076	6.6
	2004	2,635	8.2	10.8	13,079	5.4	3.4	12.3	6,755	16.4	13.7	9,053	7.9
	2003	2,756	8.2	9.9	16,293	5.1	3.3	12.2	8,504	17.1	13.1	10,311	9.0
	2002	2,583	7.6	9.8	12,840	4.9	3.9	12.2	6,575	15.6	13.1	7,322	12.3
	2001	2,578	7.3	10.8	12,782	5.2	3.6	12.0	6,551	16.4	13.0	7,208	10.1
	2000	2,380	8.6	12.4	11,935	5.2	3.4	12.1	5,987	16.6	12.7	7,248	8.5
	1999	2,038	8.1	10.7	10,675	5.4	3.4	11.4	5,522	17.1	11.9	6,997	5.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 19C
2008 Pediatric Nutrition Surveillance (1)**

**Vermont
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)**

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2008	2,316	70.4	1,925	30.8	1,889	12.5
	2007	2,356	70.0	1,675	30.3	1,611	15.2
	2006	2,253	69.4	1,538	30.8	1,573	13.6
	2005	2,260	65.7	1,641	33.2	1,728	16.6
	2004	2,533	66.0	1,828	32.4	1,703	23.7
	2003	2,645	63.5	1,895	34.1	1,885	22.1
	2002	2,510	64.3	1,742	29.9	1,601	22.3
	2001	2,485	63.0	1,798	29.5	1,650	23.5
	2000	2,333	62.8	1,503	31.3	1,413	24.0
	1999	420	61.7	300	27.7	274	20.1
Black, Not Hispanic	2008	43	*	51	*	40	*
	2007	37	*	36	*	33	*
	2006	39	*	44	*	46	*
	2005	53	*	38	*	36	*
	2004	38	*	39	*	34	*
	2003	41	*	36	*	29	*
	2002	28	*	19	*	33	*
	2001	30	*	35	*	29	*
	2000	15	*	11	*	12	*
	1999	0	*	0	*	5	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C
2008 Pediatric Nutrition Surveillance (1)**

**Vermont
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)**

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2008	6	*	2	*	2	*
	2007	3	*	4	*	6	*
	2006	5	*	5	*	3	*
	2005	0	*	6	*	6	*
	2004	5	*	5	*	3	*
	2003	3	*	2	*	1	*
	2002	1	*	2	*	0	*
	2001	0	*	2	*	3	*
	2000	2	*	2	*	0	*
	1999	0	*	0	*	0	*
American Indian/Alaskan Native	2008	6	*	7	*	8	*
	2007	7	*	8	*	5	*
	2006	10	*	6	*	5	*
	2005	7	*	10	*	6	*
	2004	11	*	6	*	8	*
	2003	12	*	5	*	16	*
	2002	12	*	9	*	11	*
	2001	14	*	5	*	7	*
	2000	7	*	6	*	6	*
	1999	2	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2008	19	*	16	*	17	*
	2007	15	*	11	*	11	*
	2006	21	*	19	*	14	*
	2005	16	*	19	*	18	*
	2004	26	*	24	*	25	*
	2003	27	*	22	*	19	*
	2002	20	*	16	*	14	*
	2001	25	*	19	*	22	*
	2000	20	*	16	*	9	*
	1999	3	*	4	*	4	*
Multiple Races	2008	0	*	0	*	0	*
	2007	0	*	0	*	0	*
	2006	0	*	0	*	0	*
	2005	0	*	0	*	0	*
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*
	2000	0	*	0	*	0	*
	1999	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 19C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2008	30	*	31	*	31	*
	2007	25	*	26	*	28	*
	2006	17	*	27	*	50	*
	2005	46	*	37	*	43	*
	2004	7	*	3	*	8	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*
	2000	0	*	0	*	0	*
	1999	0	*	0	*	0	*
Total All Race/Ethnic Groups	2008	2,420	70.5	2,032	31.4	1,987	12.7
	2007	2,443	70.4	1,760	30.9	1,694	15.5
	2006	2,345	69.9	1,639	31.8	1,691	14.3
	2005	2,382	66.3	1,751	33.6	1,837	16.7
	2004	2,620	65.9	1,905	32.9	1,781	24.2
	2003	2,728	63.7	1,960	34.7	1,950	22.1
	2002	2,571	64.7	1,788	30.4	1,659	22.4
	2001	2,554	63.3	1,859	30.0	1,711	23.7
	2000	2,377	62.7	1,538	31.4	1,440	23.8
	1999	425	62.1	304	27.6	283	20.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 20C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																		
Age and Year *	Height and Weight									Age and Year *	Height and Weight							
	Short Stature (4)		Under- weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)				Short Stature (4)		Under- weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	%	%	%	Number	%	%	%			Number	%	%	%	Number	%	%	%
	<5th	<5th	≥95th	85th-<95th	≥95th					<5th	<5th	≥95th	85th-<95th	≥95th				
0 - 11 Months									24 - 35 Months									
2008	3,671	7.8	4.5	10.2	0	*	*	2008	2,539	3.8	2.6	11.4	2,539	15.4	11.4			
2007	3,651	6.9	4.2	10.6	0	*	*	2007	2,372	4.1	2.6	12.0	2,372	15.6	12.0			
2006	3,516	7.0	3.9	10.3	0	*	*	2006	2,458	4.4	3.0	10.8	2,458	15.3	10.8			
2005	3,678	6.2	4.6	9.4	0	*	*	2005	2,402	5.7	3.1	10.4	2,402	15.9	10.4			
2004	3,751	6.7	4.5	9.8	0	*	*	2004	2,533	4.5	2.8	11.9	2,533	14.7	11.9			
2003	4,395	6.4	4.5	10.3	0	*	*	2003	3,185	5.0	2.8	12.3	3,185	16.6	12.3			
2002	3,708	6.0	4.7	10.4	0	*	*	2002	2,329	4.4	3.8	10.6	2,329	14.9	10.6			
2001	3,748	7.0	4.6	10.2	0	*	*	2001	2,348	4.4	3.6	11.2	2,348	15.3	11.2			
2000	3,522	6.5	4.1	10.6	0	*	*	2000	2,253	4.3	3.2	9.9	2,253	15.1	9.9			
1999	2,954	7.3	3.9	10.2	0	*	*	1999	1,967	4.6	3.9	10.3	1,967	14.3	10.3			
12 - 23 Months									36 - 47 Months									
2008	2,845	5.2	3.5	13.3	0	*	*	2008	2,301	3.8	2.3	14.0	2,301	16.8	14.0			
2007	2,625	5.2	3.5	12.3	0	*	*	2007	2,250	4.1	2.9	13.2	2,250	16.2	13.2			
2006	2,634	5.3	3.2	12.1	0	*	*	2006	2,199	5.2	2.4	14.2	2,199	15.1	14.2			
2005	2,679	4.9	3.5	11.9	0	*	*	2005	2,232	5.0	2.8	14.4	2,232	17.7	14.4			
2004	2,573	5.8	3.8	12.3	0	*	*	2004	2,243	4.7	2.5	14.1	2,243	17.4	14.1			
2003	3,394	4.9	3.4	12.7	0	*	*	2003	2,875	4.1	3.3	13.2	2,875	17.5	13.2			
2002	2,557	5.0	4.5	12.6	0	*	*	2002	2,208	4.0	3.0	13.9	2,208	14.9	13.9			
2001	2,483	4.3	3.7	12.1	0	*	*	2001	2,221	4.3	2.4	14.7	2,221	16.0	14.7			
2000	2,426	5.1	3.9	12.7	0	*	*	2000	2,003	4.5	2.6	13.8	2,003	16.8	13.8			
1999	2,199	5.0	3.7	11.9	0	*	*	1999	1,882	4.5	2.8	11.5	1,882	18.3	11.5			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 20C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																				
Age and Year *	Height and Weight								Height and Weight											
	Short Stature (4)		Under-weight (5)		Obese (5)				≥ 2 Yrs Overweight (5)		Short Stature (4)		Under-weight (5)		Obese (5)			≥ 2 Yrs Overweight (5)		
	Number	%	%	%	Number	%	%		Number	%	%	Number	%	%	Number	%	%	Number	%	%
	<5th	<5th	≥95th		85th-<95th	≥95th		<5th	<5th	≥95th		85th-<95th	≥95th		<5th	<5th	≥95th		85th-<95th	≥95th
48 - 59 Months																				
2008	2,169	2.8	2.6	14.8	2,169	16.8	14.8													
2007	2,084	4.2	3.0	15.5	2,084	16.6	15.5													
2006	2,040	3.8	2.3	14.2	2,040	17.1	14.2													
2005	2,035	4.2	2.8	14.3	2,035	17.9	14.3													
2004	1,979	4.1	2.7	15.5	1,979	17.4	15.5													
2003	2,444	4.4	2.0	13.9	2,444	17.2	13.9													
2002	2,038	4.3	2.7	15.1	2,038	17.0	15.1													
2001	1,982	4.7	2.8	13.2	1,982	18.1	13.2													
2000	1,731	4.5	2.1	15.1	1,731	18.3	15.1													
1999	1,673	4.4	1.9	14.3	1,673	18.8	14.3													
Total All Age Groups																				
2008	13,525	5.0	3.3	12.5	7,009	16.3	13.3													
2007	12,982	5.1	3.3	12.4	6,706	16.1	13.5													
2006	12,847	5.3	3.1	12.0	6,697	15.8	12.9													
2005	13,026	5.3	3.5	11.7	6,669	17.1	12.9													
2004	13,079	5.4	3.4	12.3	6,755	16.4	13.7													
2003	16,293	5.1	3.3	12.2	8,504	17.1	13.1													
2002	12,840	4.9	3.9	12.2	6,575	15.6	13.1													
2001	12,782	5.2	3.6	12.0	6,551	16.4	13.0													
2000	11,935	5.2	3.4	12.1	5,987	16.6	12.7													
1999	10,675	5.4	3.4	11.4	5,522	17.1	11.9													

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 21C
2008 Pediatric Nutrition Surveillance (1)
Vermont

Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
6 - 11 Months				18 - 23 Months			
	2008	680	10.9		2008	1,440	8.1
	2007	677	13.0		2007	1,256	7.2
	2006	673	9.5		2006	1,265	7.0
	2005	672	12.8		2005	1,176	6.8
	2004	629	17.3		2004	1,166	6.9
	2003	722	15.0		2003	1,280	10.2
	2002	610	15.4		2002	897	10.4
	2001	690	12.2		2001	842	12.5
	2000	649	15.4		2000	967	14.1
	1999	692	15.5		1999	910	6.7
12 - 17 Months				24 - 35 Months			
	2008	1,541	8.0		2008	2,517	5.8
	2007	1,318	9.3		2007	2,377	6.1
	2006	1,234	9.2		2006	2,336	6.6
	2005	1,257	10.7		2005	2,147	5.8
	2004	1,275	13.0		2004	2,273	7.6
	2003	1,417	10.4		2003	2,582	10.0
	2002	1,002	14.2		2002	1,628	13.0
	2001	1,044	11.9		2001	1,686	11.8
	2000	1,034	13.1		2000	1,759	9.1
	1999	957	12.9		1999	1,590	3.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2008 Pediatric Nutrition Surveillance (1)
Vermont
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
36 - 59 Months				Total All Age Groups			
	2008	4,477	3.3		2008	10,655	5.7
	2007	4,190	4.4		2007	9,818	6.4
	2006	3,934	4.0		2006	9,442	6.1
	2005	3,824	4.5		2005	9,076	6.6
	2004	3,710	5.1		2004	9,053	7.9
	2003	4,310	6.6		2003	10,311	9.0
	2002	3,185	11.4		2002	7,322	12.3
	2001	2,946	7.3		2001	7,208	10.1
	2000	2,839	3.1		2000	7,248	8.5
	1999	2,848	1.8		1999	6,997	5.6
All Other/Unknown							
	2008	0	*				
	2007	0	*				
	2006	0	*				
	2005	0	*				
	2004	0	*				
	2003	0	*				
	2002	0	*				
	2001	0	*				
	2000	0	*				
	1999	0	*				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.